

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6257
The Bellevue Nursery

1900--01

TRADE-LIST OF
AMERICAN

Plants and Shrubs



HIBISCUS CRIMSON EYE

COLLECTED AND GROWN BY

WM. F. BASSETT & SON

Hammonton & New Jersey, U. S. A.

Terms and Remarks

Our Terms are net cash, and are for the quantities named, except that 6, 50, and 500 will be furnished at the doz., hundred and thousand rates respectively. Parties not known by us to be responsible and reliable will be expected to send cash with order or good references.

Shipping Facilities. Our nurseries are within thirty miles of Philadelphia (two railroads) and 100 miles from New York, and freight rates very low.

Mailing Plants. Small orders will be filled by mail, when so requested, where the size of the plants will permit; but postage will be added to all bills so forwarded.

Collected Plants. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware and Maryland, and we also have arrangements with special collectors in the New England and other States. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" *pulled up* by irresponsible parties at so much per thousand. We aim to get the very best plants obtainable, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility farther than to ship them in good order.

Transplanted Stock. To meet the wants of an increasing list of customers, we have, for several years, been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds and growing them under culture for one or more years.

Packing is done in the most thorough manner, for which no extra charge is made except a few items where the size is out of proportion to the price.

To Our European Friends

We have a good list of European Customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that fall orders are much more desirable as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

Novelties and Specialties

Amelanchier rotundifolium

We have found this so much superior to *Amelanchier Canadensis* in every respect that we unhesitatingly recommend it. Its style of growth is more compact, the foliage is more dense, and of a richer darker green, and the strain we offer produces, in great abundance, berries which are much larger, less seedy, and of better flavor than any other June Berry. For cooking, when used with pie cherries, equal quantities of each, they make better pies and puddings than cherries alone.

Pyrus Brilliantissima

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia* that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found which produced bright scarlet berries and retain their bright color all through the season. This is so decidedly superior to the ordinary form that the little difference in first cost is not worth considering.

Hibiscus Crimson Eye

This, the finest of all the hardy *Hibiscus*, was introduced by us and has been steadily gaining in popularity, and our sales of it increase largely every year. We also introduced the *Rose Pink Hibiscus*, and we are among the very few who offer *Hibiscus militaris* both fine varieties.

Special attention is called to our stock of large and fine plants of *Andromeda Arborea*, *Chionanthus Virginica*, *Cornus cericea*, *Cornus stolonifera*, *Myrica cerifera*, *Lonicera Halleana*, *Spiraea tomentosa*, and *Spiraea tomentosa alba*, and to the very low price of our *Symphoricarpus vulgaris*.

Plants not in this list

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *Solidago*, and many others.

GENERAL LIST OF HARDY PERENNIALS.

	Per doz.	100	1,000
Achillea, The Pearl	\$0 40	\$2 50	\$20 00
“ millefolium roseum	50	3 00	25 00
“ tomentosa,	60	4 00	
Aster patens, collected	50	2 00	15 00
“ concolor, collected	75	4 00	35 00
“ spectabilis, collected	50	2 50	20 00
“ nemoralis, collected	80	5	
“ linariifolius, collected	50	1 50	12 00
“ tradescantii, collected	40	2 50	20 00
“ longifolius, collected	75	5 00	
“ Novae Anglae	75	3 50	
“ Tartaricus	75	3 00	
“ puniceus	75	3 00	
Apios tuberosa	30	1 00	8 00
Arenaria squarrosa, collected	80	3 00	25 00
Anemone nemorosa, collected	75	3 00	
Anemonella thalictroides, collected	60	3 00	
Aquilegia Canadensis,	75		
“ “ collected	50	2 50	20 00
“ cerulea hybrida	75	4 00	
Asarum Canadense	60	4 00	
Aletris farinosa, collected	50	1 80	12 00
Asclepias tuberosa, collected	1 00	6 00	40 00
“ obtusifolia, collected	80		
“ incarnata, collected	50	2 50	20 00
“ “ pulchra collected	50	2 50	20 00
Arisaema triphyllum, collected	50	2 00	15 00
“ dracontium, collected	80	4 00	
Acorus calamus, collected	50	1 50	10 00
Aspidium marginale, collected	50	2 00	10 00
“ thelypteris, collected	50	2 00	10 00
“ novaboracensis, collected	50	2 00	10 00
“ acrostichoides, collected	50	2 00	10 00
“ cristatum, collected	80	4 00	
“ spinulosum, collected	75	3 00	25 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Aspidium goldianum</i>	I 25		
“ <i>aculeatum</i> var. <i>Braunii</i>	I 25		
<i>Asplenium ebeneum</i> , collected	50	2 00	15 00
“ <i>trichomanes</i> , collected	75	3 00	
<i>Adiantum pedatum</i> , collected	75	3 00	25 00
<i>Andropogon macrourus</i> , collected	50	2 00	15 00
<i>Aralia hispida</i>	75		
<i>Breweria Pickeringii</i> , collected	I 00	6 00	
<i>Baptisia tinctoria</i> , collected	I 00	3 00	
<i>Brasenia peltata</i> , collected	50	2 00	15 00
<i>Botrychium Virginicum</i> , collected	80	4 00	
<i>Boltonia latisquamæ</i>	75	3 50	
“ <i>asteroides</i>	75	4 50	
“ <i>glastifolia</i>	I 00		
<i>Coreopsis lanceolata</i>	50	2 00	15 00
“ <i>grand.</i> (Harvest Moon)	75	5 00	
“ <i>Auriculata</i>	50	2 00	15 00
<i>Callirhoe involucrata</i>	75	4 00	
<i>Chrysopsis Mariana</i> , collected	50	2 50	15 00
“ <i>falcata</i> , collected	50	3 00	10 00
<i>Clintonia borealis</i> , collected	60	3 00	
<i>Calopogon pulchellus</i> , collected	60	4 00	
<i>Cypripedium acaule</i> , collected	75	4 00	
“ <i>spectabile</i>	I 75	10 00	
“ <i>pubescens</i> , collected	I 25	8 00	
<i>Cunilla Mariana</i> , collected	60	3 00	
<i>Calystegia pubescens</i> , fl. pl.	50	1 50	
<i>Chelone glabra</i> , collected,	50	3 00	
<i>Chimaphlla maculata</i> , collected	60	3 00	
“ <i>umbellata</i> , collected	75	4 00	
<i>Caltha palustris</i> , collected	60	3 00	25 00
<i>Calla palustris</i> , collected	75	4 00	
<i>Cimicifuga racemosa</i> , collected	60	3 00	20 00
<i>Claytonia, Virginica</i> , collected	60	2 00	15 00
<i>Cassia Marylandica</i> , very heavy	75	3 00	
“ “ 2 year	60	2 00	15 00
<i>Calamagrostis brevipilis</i> , collected	60	3 00	
<i>Calamagrostis nuttalliana</i> , collected	I 00	6 00	
<i>Centrosema Virginica</i> (root cuttings)		80	7 50
<i>Camptosorus rhizophyllus</i> , collected	60	2 50	
<i>Dioscorea villosa</i> , collected	I 00		
<i>Dracocephalum Virginicum</i>	50	2 00	10 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Dicentra cucullaria</i> , collected	60	2 00	15 00
“ <i>Canadensis</i> , collected	75	2 50	15 00
<i>Drosera filiformis</i> , collected	60	1 50	10 00
“ <i>intermedia</i> , collected	60	3 00	
<i>Dentaria laciniata</i> , collected	60	3 00	
<i>Dicksonia pilosiuscula</i>	60	2 00	10 00
<i>Eriocaulon gnaphalodes</i> , collected	50	1 50	
“ <i>decangulare</i> , collected	60	2 00	
<i>Erythronium Americanum</i> , collected	60	2 50	15 00
<i>Euphorbia corollata</i>	60	3 00	20 00
“ <i>ippecacuanhæ</i> , collected	50	2 00	15 00
<i>Elodes Virginica</i> , collected	60	3 00	15 00
<i>Epilobium angustifolium</i> , collected	60	3 00	
<i>Eupatorium aromaticum</i> , collected	80	4 00	
“ <i>ageratoides</i> , collected	75	3 00	20 00
“ <i>purpureum</i> , collected	60	2 00	18 00
<i>Eriophorum Virginicum</i> , collected	75	5 00	
<i>Eryngium Virginicum</i> , collected	75	3 00	25 00
“ <i>planum</i>	1 00		
“ <i>amethystinum</i>	1 00		
<i>Erianthus alopecuroides</i> , collected	60	3 00	25 00
<i>Eulalia gracillima</i>	50	2 00	18 00
“ <i>Japonica zebrina</i>	60	2 50	18 00
<i>Funkia lancifolia</i>	60	3 00	
“ <i>subcordata</i>	1 00		
“ <i>Thos. Hogg</i>	1 25	8 00	
<i>Galactea, glabella</i> , collected	80	5 00	
<i>Gillenia trifoliata</i> , collected	75	3 00	25 00
<i>Gentiana Andrewsii</i> , collected	1 50	6 00	
“ <i>Saponaria</i> , collected	1 25	6 00	
“ <i>Angustifolia</i> , collected	1 50	7 50	
<i>Gerardia flava</i> , collected	60	3 00	
“ <i>quercifolia</i> , collected	2 50		
<i>Geranium maculatum</i> , collected	60	2 50	
“ <i>sanguineum</i>	1 00	5 00	
<i>Gratiola aurea</i> , collected	60	3 00	
<i>Goodyeara pubescens</i>	1 25	5 00	
<i>Houstonia cœrulea</i> , collected	50	2 00	
<i>Helianthus divaricatus</i> , collected	60	2 00	15 00
“ <i>angustifolius</i> , collected	60	3 00	20 00
“ <i>orgyalis</i>	50	3 50	25 00
“ <i>lætiflorus</i>	50	2 00	10 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Helianthus giganteus</i>	60	3 00	
“ <i>Maximilianii</i>	80	5 00	
“ <i>mollis</i>	75		
“ <i>strumosus</i>	50	3 00	
“ <i>decapetalus</i>	75		
<i>Hypericum angulosum</i> , collected	60	3 00	
<i>Helenium autumnale</i> , collected	60	2 00	15 00
“ <i>grandicephalum striatum</i>	75	4 00	35 00
“ <i>autumnale superbum</i>	60	3 50	30 00
“ <i>pumilum</i>	1 50		
“ <i>Boulanderi</i>	1 00		
<i>Hibiscus moscheutos</i>	60	3 00	20 00
“ “ <i>Crimson Eye</i>	60	2 50	18 00
“ “ <i>Rose Pink</i>	60	3 00	20 00
“ “ <i>Militaris</i>	80	5 00	
<i>Hepatica triloba</i> , collected	60	3 00	20 00
“ <i>acutiloba</i> , collected	60	3 00	20 00
<i>Helonias bullata</i> , collected	85	4 00	30 00
<i>Habenaria ciliaris</i> , collected	75	5 00	
“ <i>blephariglottis</i> , collected	70	4 00	
<i>Hemerocallis fulva</i>	60	2 00	15 00
“ <i>flava</i>	75	4 00	
“ <i>Dumortieri</i>	75	4 00	
“ <i>Thunbergii</i>	80	5 00	
<i>Heuchera Americana</i> , collected	50	2 00	15 00
<i>Heliopsis Pitcheriana</i>	1 00		
<i>Ipomea pandurata</i> , collected	1 00	6 00	
<i>Iris prismatica</i> , collected	60	2 00	15 00
“ <i>versicolor</i> , collected	60	1 50	12 00
“ <i>Germanica</i>	60	1 50	12 00
“ <i>pumila</i>	75	2 50	
<i>Iberis sempervirens</i>	75	4 00	
“ “ <i>suberba</i>	1 50		
<i>Kosteletzkia Virginica</i> , 1 year	75	5 00	
“ “ 2 year	1 00		
<i>Lobelia cardinalis</i> , collected	75	2 50	15 00
“ <i>syphilitica</i> , collected	1 00	3 00	
<i>Liatris graminifolia</i> , collected	50	2 00	15 00
“ <i>spicata</i>	75	2 50	
“ <i>punctata</i>	75		
“ <i>scariosa</i>	75		
<i>Lythrum salicaria superba</i>	1 00	5 00	45 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Lysimachia clethroides</i>	60	4 00	
“ <i>nummularia</i>	60	2 00	
“ <i>punctata</i>	60	3 00	
“ <i>ciliata</i>	60	3 00	
“ <i>quadrifolia</i> , collected	60	2 50	
“ <i>stricta</i> , collected	60	2 00	
<i>Lymnanthemum lacunosum</i> , collected	1 00	6 00	
<i>Lophiola aurea</i> , collected	60	3 00	25 00
<i>Ludwigia hirtella</i> , collected	1 25		
<i>Lupinus perennis</i>	75	4 00	
<i>Liparis liliifolia</i>	1 50	8 00	
<i>Lilium superbum</i> , collected	75	3 50	30 00
“ <i>Philadelphicum</i> , collected	1 00	6 00	
<i>Mitchella repens</i> , collected	50	1 50	12 00
<i>Mikania, scandens</i> , collected	1 00	5 00	
<i>Mertensia Virginica</i> , collected	75	3 50	25 00
<i>Nymphæa odorata</i> , collected	75	3 00	
“ “ <i>minor</i> , collected	75	3 00	
<i>Nuphar advena</i> , collected	1 00	6 00	
<i>Nepeta glechoma</i>	50	2 00	
<i>Nesaea verticillata</i> , collected	1 00	5 00	
<i>Narthecium Americanum</i> , collected	1 00	5 00	
<i>Oxalis violacea</i> , collected	60	3 00	
<i>Ornithogalum umbellatum</i>	40	1 50	10 00
<i>Orontium aquaticum</i> , collected	90	6 00	45 00
<i>Opuntia Rafinesquii</i> , collected	60	2 00	15 00
<i>Ceanotha fruticosa</i> , collected	60	2 00	18 00
“ <i>Youngii</i>	75	3 00	
<i>Onoclea sensibilis</i> , collected	60	2 00	10 00
“ <i>struthiopteris</i> , collected	70	4 00	
<i>Osmunda regalis</i> , collected	1 00	6 00	50 00
“ <i>cinnamomea</i> , collected	1 00	6 00	50 00
“ <i>Claytoniana</i> , collected	85	4 00	
<i>Podophyllum peltatum</i> , collected	60	2 00	15 00
<i>Pyrola elliptica</i> , collected	60	2 00	
“ <i>rotundifolia</i> , collected	60	3 00	
“ <i>chlorantha</i> , collected	60	2 00	
“ <i>secunda</i> , collected	2 50	6 00	
<i>Pyxidanthera barbulata</i> , collected	75	3 00	25 00
<i>Phlox maculata</i>	75	3 50	
“ <i>divaricata</i>	75	3 00	25 00
“ <i>subulata</i>	60	2 50	

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
Phlox subulata alba	60	2 50	
Pogonia ophioglossoides, collected	75	3 00	
Pardanthus Chinensis	50	2 00	15 00
Pontederia cordata, collected	75	4 00	30 00
Peltandra Virginica, collected	I 50	8 00	60 00
Penstemon barbatus Torreyi	75	4 50	
“ pubescens	60	2 50	20 00
“ digitalis	I 00	6 00	
Plumbago larpentæ	60	4 00	35 00
Panicum virgatum, collected	60	2 00	15 00
Phragmites communis, collected	I 00	6 00	40 00
Phegopteris hexagonoptera, collected	60	3 00	
“ dryopteris	60		
“ polypodioides	60		
Polypodium vulgare, collected	60	2 00	10 00
Pteris aquilina, collected	60	2 00	10 00
Rudbeckia hirta, collected	60	2 50	20 00
“ laciniata	60	3 00	25 00
“ “ fl. pl. (Golden Glow)	50	3 50	20 00
“ nitida	60	3 00	25 00
“ speciosa	80	5 00	
“ fulgida	80	5 00	
Solidago Canadensis, collected	60	2 50	
“ tenuifolia collected	50	2 00	15 00
“ odora, collected	50	2 00	15 00
“ sempervirens	60	2 50	20 00
“ virgata, collected	75	3 00	25 00
“ puberula, collected	60	2 50	
“ altissimum, collected	60	2 50	
“ nemoralis, collected	60	2 00	15 00
“ cæsia, collected	50		
“ juncea, collected	50		
“ lanceolata, collected	50	2 00	15 00
Sedum acre	60	2 00	15 00
“ ternatum, collected	60	2 00	15 00
“ spectabile	I 00	5 00	
Sarracenia purpurea, collected	50	2 00	15 00
Silene Pennsylvanica	75	5 00	
“ stellata, collected	60	3 00	
Sclerolepis verticillata, collected	75	4 00	
Sabbatia lanceolata, collected	60	3 00	25 00
“ chloroides, collected	75	4 00	35 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Salvia lyrata</i>	60	2 00	15 00
<i>Smilacina racemosa</i> , collected	75	3 00	25 00
“ <i>bifolia</i> , collected	75	3 00	25 00
<i>Sanguinaria Canadensis</i>	60	2 00	18 00
<i>Scirpus Eriophorum</i> , collected	60	3 00	
<i>Typha latifolia</i> , collected	60	2 00	15 00
“ <i>angustifolia</i> , collected	60	2 00	15 00
<i>Thalictrum dioicum</i> , collected	75	3 50	30 00
“ <i>cornuti</i> , collected	75	3 00	25 00
<i>Tradescantia Virginica</i>	60	2 50	20 00
“ “ <i>alba</i>	75	3 50	
“ “ <i>fl. pl.</i>	1 00		
<i>Tephrosia Virginica</i> , collected	60	2 00	18 00
<i>Trillium erectum</i> , collected	60	3 00	
“ “ <i>album</i> , collected	75	4 00	
“ <i>grandiflorum</i> ,	60	2 50	15 00
“ “ <i>roseum</i>	75	4 00	35 00
<i>Vernonia novaboracensis</i> , collected	75	3 50	30 00
<i>Viola pedata</i> , collected	50	1 50	10 00
“ “ <i>bicolor</i>	1 00	7 50	
“ <i>cucullata</i>	50	1 50	10 00
“ <i>primulæfolia</i> , collected	75	2 50	
“ <i>cornuti</i>	1 00		
“ “ <i>alba</i>	1 00		
<i>Veronica officinalis</i>	50	2 00	18 00
“ <i>cercæoides</i>	75	3 00	
<i>Woodwardia Virginica</i> , collected	60	2 00	15 00
“ <i>Angustifolia</i> , collected	60	2 50	20 00
<i>Xerophyllum asphodeloides</i>	75		
“ “ collected	60	2 00	15 00
<i>Xyris fimbriata</i> , collected	1 00	4 00	
<i>Yucca filamentosa</i>	80	3 50	30 00
“ “ seedlings 1 yr.	20	1 00	8 00

All plants in this list are nursery-grown unless otherwise specified.

Trees, Shrubs and Woody Climbers.

	Per doz.	100	1,000
Arctostaphylos uva-ursa, collected	60	2 00	15 00
Amelanchier Can. rotundifolium 12—18 in	1 25	8 00	
“ “ “ 8—12 in	1 00	5 00	
“ Canadensis, collected	60	2 00	15 00
“ botryapium, collected	60	3 50	30 00
Amorpha fruticosa	60	2 00	
Acer rubrum, 4—6 ft	1 25		
“ “ 4—5 ft., collected	80	4 00	
“ “ 3—4 ft., collected	75	3 00	
“ “ 2—3 ft., collected	50	2 50	15 00
“ Pennsylvanicum, 3—4 ft	1 25	8 00	
“ “ 2—3 ft	1 00	6 00	
“ “ 1—2 ft	80	4 00	
“ spicatum, 2—3 ft	1 25	6 00	
Asimina triloba, collected	60	3 50	30 00
Ascyrum, stans, collected	60	2 00	
“ Crux-Andræ, collected	60	2 00	
Ampelopsis quinquefolia, 2 year	60	3 00	
Akebia quinata, 2 year heavy	50	3 00	
“ “ I “ “	40	2 50	
Andromeda Mariana, 8—12 in	60	3 00	
“ “ collected	60	2 00	15 00
“ racemosa, collected	60	2 50	20 00
“ ligustrina, collected.	60	2 50	20 00
“ calyculata, bushy	75	3 00	
“ “ collected	60	2 00	15 00
“ Arborea 3—4 ft. fine	1 50	10 00	
“ “ 2—3 ft	1 00	6 00	
“ polifolia 2 years	75	4 00	
Azalea viscosa, 1½—2 ft., bushy, in bud	1 00	7 50	
“ “ 12—18 in	75	4 00	
“ “ collected	60	3 00	25 00
“ nudiflora, 10—18 in. XX	1 50		
“ “ collected	60	3 00	25 00
“ calendulacea, 10—12 in., fine, well budded	2 00	12 50	
Betula populifolia, collected	50	1 50	10 00
“ nigra, 3—4 ft	80		
“ “ 2—3 ft	75	5 00	

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Betula nigra</i> , collected	60	3 00	20 00
“ <i>lenta</i> , 4—6 ft.	1 50	10 00	
“ “ collected	60	2 50	18 00
<i>Baccharis</i> , <i>halimifolia</i> , collected	60	3 00	25 00
<i>Calycanthus Floridus</i> , 2—4 ft.	1 00		
<i>Corylus Americana</i> , collected	60	3 00	20 00
“ <i>rostrata</i> , collected	75	4 00	
<i>Carpinus Americana</i> , 1 year trans.	75	4 00	
“ “ collected	60	3 50	30 00
<i>Cornus Florida</i> 1—2 ft.	75	4 00	
“ “ collected	60	3 00	20 00
“ <i>sericea</i> 2½—3 ft. XX	75	4 00	
“ “ collected	60	2 50	20 00
“ <i>sanguinea</i> , 3—4 ft.	75		
“ <i>mas.</i> , 2—3 ft.	1 00	5 00	
“ <i>alternifolia</i> , collected	60	3 00	25 00
“ <i>stolonifera</i> , 3—4 ft. fine	1 00	4 00	
“ <i>paniculata</i> , 12—18 in	75	5 00	
“ “ collected	60	3 00	25 00
“ <i>circinata</i> , 2—3 ft.	1 25		
“ “ collected	60	3 50	30 00
<i>Cephalanthus occidentalis</i> , 2—3 ft. strong	80	4 00	
“ “ 1—2 ft.	60	2 50	20 00
<i>Comptonia asplenifolia</i> XX 1 year trans.	75	4 00	
“ “ collected	50	1 50	10 00
<i>Cupressus thyoides</i> , collected	50	1 50	8 00
<i>Chionanthus Virginica</i> , 3—4 ft. strong	2 00	10 00	
“ “ 2—3 ft.	1 25	6 00	50 00
“ “ 1—2 ft.	75	3 50	25 00
<i>Clethra alnifolia</i> , 2—3 ft. heavy	80	4 00	
“ “ 1—2 ft. heavy	60	2 50	20 00
“ “ collected	50	2 00	15 00
<i>Clematis Virginica</i>	75	3 50	
“ “ collected	60	2 50	18 00
<i>Celastrus scandens</i>	75	3 00	
“ “ collected	50	2 00	15 00
<i>Ceanothus Americanus</i> , collected	75	4 00	
<i>Cercis Canadensis</i> , 2—3 ft.	1 00		
“ “ collected	75	4 00	30 00
<i>Crategus</i> , <i>parvifolia</i> , heavy, 2—3 ft.	\$2 00		
“ “ collected	60	4 00	35 00
“ <i>Crus-galli</i> , strong	2 00		

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Diospyros Virginiana</i> , collected	75	4 00	
<i>Diervilla trifida</i> , trans.	75	3 00	20 00
“ “ collected	60	2 00	18 00
“ <i>sessilifolia</i>	80		
<i>Dimorphanthus Mandshuricus</i> , 2—4 ft.	3 00		
<i>Epigæa repens</i> , col. <i>seedlings</i> , with ball	1 00	6 00	
<i>Euonymus Americanus</i> , trans.	75	3 50	
“ “ collected	60	2 50	20 00
“ <i>radicans</i>	75	3 50	
“ “ <i>variegata</i>	75		
“ <i>Europæus</i> , 3—4 ft.	1 25	4 00	
“ “ 1—2 ft.	60	2 50	
<i>Fraxinus Americanus</i> , collected	75	3 00	25 00
<i>Forsythia Fortunei</i> , trans., 4—5	75	4 00	
<i>Gaylussacia frondosa</i>	75		
“ “ collected	60	3 00	25 00
“ <i>resinosa</i> , collected	60	2 00	15 00
“ <i>dumosa</i> , 6—8 in.	75	3 50	
“ “ collected	60	2 50	20 00
<i>Gaultheria procumbens</i> , collected	40	1 50	10 00
<i>Hamamelis Virginica</i> , 3—4 ft.	1 25		
“ “ 2—3 ft.	1 00		
“ “ 6—12 in.	75	4 00	
“ “ collected	60	3 50	30 00
<i>Hypericum densiflorum</i> , collected	60	1 50	10 00
<i>Hydrangea arborescens</i> , 2—3, trans.	75	5 00	
“ “ collected	60	3 00	25 00
<i>Hudsonia ericoides</i> , collected	60	2 00	15 00
“ <i>tomentosa</i> , collected	60	2 50	20 00
<i>Iva frutescens</i> , collected	60	3 00	25 00
<i>Itea Virginica</i> , 2—3 ft.	75	4 00	
“ “ 1—2 ft.	60	3 00	
“ “ collected	50	2 50	
<i>Halesia tetraptera</i> , 4—6 ft.	1 25		
<i>Ilex glabra</i> , 6—12 in., collected	60	3 00	20 00
“ “ 1 ft., with ball, collected	3 00	17 00	
“ “ 2—3 ft., with ball, collected	6 00	40 00	
“ <i>opaca</i> , 1—2 ft., trans., leaves removed	1 50	10 00	
“ “ collected, leaves removed	75	4 00	35 00
“ <i>verticillata</i> , collected	85	4 00	30 00
<i>Juniperus Virginiana</i> , collected	50	2 00	15 00
“ <i>communis</i> , collected	75	4 00	

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Kalmia latifolia</i> , 6—12 in., collected	60	2 50	15 00
“ “ 1—2 ft., bushy, trans.	3 00		
“ “ col., 2 ft., bushy, with ball	2 50	20 00	
Special terms on carload lots of this grade, of which we have an exceptionally fine lot.			
<i>Kalmia augustifolia</i> , collected	60	2 00	15 00
“ “ bushy, collected	1 25	5 00	
“ “ trans., 1—2 ft.	1 50		
“ <i>glauca</i> , 12—15 in.	1 00	6 00	
“ “ 6—12 in.	60	4 00	
<i>Leiophyllum buxifolium</i> , collected	60	2 00	15 00
<i>Ligustrum ovalifolium</i> (California Privet), 3—4 ft.	75	3 50	
“ “ “ “ 2—3 ft.	60	3 00	
“ <i>Ibota</i>	75		
<i>Liquidamber styraciflua</i> , 2—3 ft.	75	4 00	
“ “ collected	60	2 00	15 00
<i>Liriodendron tulipifera</i> , 6—8 ft.	3 00	18 00	
“ “ 5—6 ft.	2 00	12 00	
<i>Lycium vulgare</i>	60	2 50	20 00
<i>Lonicera Halleana</i> , 2 years, strong	75	3 50	25 00
“ <i>brachypoda</i> , collected	60	3 00	25 00
“ <i>fragrantissima</i> , 2—3 ft.	50		
<i>Lindera benzoin</i> , 12—18 in.	80	5 00	
“ “ collected	60	3 00	25 00
<i>Ledum latifolium</i> , 12—15 in., bushy	1 50	8 00	
“ “ 6—12 in.	75	4 00	
<i>Leucothoe Catesbeii</i> , 6—12 in.	1 00	6 00	
<i>Magnolia glauca</i> , 8—12 in.	80	4 00	
“ “ collected	75	3 00	25 00
<i>Myrica cerifera</i> , 2—4 ft., bushy	1 75	10 00	
“ “ 1—2 ft., bushy	1 00	6 00	
“ “ collected seedlings	75	3 50	30 00
“ “ layers	60	2 00	15 00
“ <i>gale</i> , 12—15 in.	80	5 00	
“ “ collected	75	3 50	30 00
<i>Menispermum Canadense</i> , collected	60	2 50	20 00
<i>Nyssa multiflora</i> , 1 year seedlings	60	3 00	
<i>Ostrya Virginica</i>	1 25	7 50	
“ “ collected	75	4 50	40 00
<i>Prunus maritima</i> , nursery grown seedlings	75	3 50	30 00
“ “ collected	60	3 00	20 00
“ <i>serotina</i> , collected	60	3 00	20 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Prunus Virginiana</i> , collected	60	3 00	25 00
“ <i>pumila</i>	1 25		
“ “ collected	1 00	5 00	
<i>Pyrus arbutifolia</i> , 1—2 ft., trans.	75	3 50	30 00
“ “ collected, fine plants	60	2 00	18 00
“ “ <i>Brilliantissima</i> , 1½—3 ft.	2 00	10 00	
“ <i>melanocarpa</i> (black-fruited) a beautiful prostrate form	75	3 50	30 00
“ “ collected	60	2 00	18 00
<i>Platanus orientalis</i> , 4—5 ft.	1 00	7 00	
<i>Potentilla fruticosa</i> , 1—2 ft.	60	3 00	
<i>Phelodendron amurense</i> , 1½ to 2 ft.	1 00		
<i>Photinia villosa</i> , 1 to 2 ft.	1 00		
<i>Rhus</i> , <i>copallina</i> , 2—3 ft., trans.	80	3 50	
“ “ collected	50	2 00	15 00
“ <i>glabra</i> , 2—3 ft.	1 00		
“ “ collected	75	3 00	
“ <i>typhina</i> , collected	75	2 50	20 00
<i>Robinia hispida</i> , collected	60	3 00	25 00
<i>Rubus odoratus</i>	75	3 00	
“ “ collected	50	2 00	15 00
“ <i>hispidus</i>	75	2 00	
“ “ collected	50	1 50	7 50
“ <i>Canadensis</i> , collected	50	1 50	10 00
“ <i>cuneifolius</i> , collected	50	2 00	15 00
<i>Rosa rugosa</i> , 2—3 ft., XX	1 50	8 00	
“ <i>Carolina</i>	75	3 00	
“ “ collected	60	2 00	18 00
“ <i>lucida</i> (true)	75	4 00	
“ “ collected	50	2 50	20 00
“ <i>nitida</i>	1 25	7 00	
“ <i>Blanda</i>	80	5 00	
“ <i>setigera</i>	1 25	7 00	
<i>Ribes Floridum</i>	1 00		
<i>Rhododendron maximum</i> , 2 years, trans.	1 50	8 00	
“ “ collected seedlings, 6—12 in.	75	2 00	18 00
<i>Symphoricarpus vulgaris</i> , 2—3 ft.	75	2 00	20 00
“ <i>racemosa</i> , 2—3 ft.	75	3 50	30 00
<i>Sambucus Canadensis</i> , 3—4 ft.	80	5 00	
“ <i>racemosus</i> , collected	75	4 00	
<i>Spiraea tomentosa</i> , 2—3 ft., trans.	75	2 50	20 00
“ “ collected	60	2 00	15 00

All plants in this list are nursery-grown unless otherwise specified.

	Per doz.	100	1,000
<i>Spiraea tomentosa alba</i>	75	3 50	
“ <i>salicifolia</i>	75	3 50	
<i>Spiraea opulifolia</i>	75		
<i>Staphylea trifolia</i> , collected	60	3 00	25 00
<i>Sassafras officinalis</i> , 2—3 ft., trans., bushy	1 00	5 00	
“ “ collected	50	3 00	25 00
<i>Smilax rotundifolia</i> , collected	60	3 00	25 00
“ <i>Walterii</i> , collected	1 00	6 00	
<i>Salix Britzensis</i> , 2 years	60	3 00	
<i>Tecoma radicans</i>	50	2 50	20 00
<i>Vaccinium corymbosum</i> , 2—3 ft., 2 years, trans.	80	5 00	
“ “ collected	60	3 00	25 00
“ <i>Pennsylvanicum</i> , collected	60	3 00	25 00
“ <i>vacillans</i> , collected	60	2 00	15 00
“ <i>stamineum</i> , 8—12 in.	80		
“ “ collected	75	4 00	30 00
“ <i>macrocarpon</i> , collected	50	1 50	10 00
<i>Viburnum, acerifolium</i>	1 00		
“ “ collected	60	3 00	25 00
“ <i>dentatum</i> , 2—3 ft.	1 00	6 00	
“ “ 1½—2 ft.	75	5 00	
“ “ collected	60	3 50	30 00
“ <i>prunifolium</i> , 1—2 ft.	1 25		
“ “ collected	80	5 00	40 00
“ <i>cassinoides</i>	75		
“ “ collected	60	3 50	30 00
“ <i>tomentosum</i> , 2—3 ft.	1 25		
“ <i>nudum</i> , 1½—3 ft.	80	5 00	
“ “ collected	60	3 00	25 00
<i>Xanthoxylum Americanum</i>	80		
“ “ collected	75	4 00	30 00

All plants in this list are nursery-grown unless otherwise specified.

Coniferous Evergreens.

	Per doz.	100	1,000
Norway Spruce, 12—18 in.	75	4 00	
Colorado Blue Spruce (seedlings) 10—12 in.	2 25		
Douglas Fir, 10—12 in.	1 25		
Dwarf Arbor Vitae, 12—18 in.	3 50		
Douglas Golden Juniper, 10—12 in.	1 25	8 00	
Blue Fir (picea concolor) 10—12 in.	2 25		
Pinus rigida, collected seedlings	50	1 50	12 00
“ mitis, collected seedlings	50	3 00	
“ inops, collected seedlings	75		

All plants in this list are nursery-grown unless otherwise specified.



ANDROMEDA
CALYCVLATA